

Bell County Public Health District

9/12/2017

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Req. | Date Insp. Closed |
|---|---------|-------|----------------------|--------------------------|-------------------|
| BELTON | | | | | |
| B TOWN EXPRESS CAFÉ MFU | | | | | |
| 9/8/2017 | Permit | 100 | 9:15 AM 9:20 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| BELTON HIGH SCHOOL | | | | | |
| 9/8/2017 | Permit | 100 | 10:45 AM 11:00 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| BELTON ISD WAREHOUSE | | | | | |
| 9/6/2017 | Permit | 100 | 2:05 PM 2:15 PM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| CHISHOLM TRAIL ELEMENTARY SCHOOL | | | | | |
| 9/6/2017 | Permit | 100 | 9:45 AM 10:00 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| ERNIES FRIED CHICKEN | | | | | |
| 9/6/2017 | Routine | 95 | 8:55 AM 9:05 AM | <input type="checkbox"/> | 9/11/2017 |
| #22 3 OUT OF 4 NEED HEALTH CARDS. #32 REPAIR CORNER OF COUNTER (LAMINATE COMING OFF); NEAR BAKER STATION. #45 PATCH CRACKS IN CEMENT FLOOR AS NECESSARY. Physical facilities installed, maintained, clean - 1 Food and Non-food Contact surfaces cleanable, properly designed, and used - 2 Food handler / no unauthorized persons / personnel - 2 | | | | | |
| JACK & JILL DONUTS - BELTON | | | | | |
| 9/6/2017 | Routine | 100 | 10:35 AM 10:45 AM | <input type="checkbox"/> | 9/11/2017 |
| GENERAL SANITATION GOOD. | | | | | |
| - | | | | | |
| LAKE BELTON MIDDLE SCHOOL | | | | | |
| 9/8/2017 | Permit | 100 | 10:05 AM 10:15 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| LAKWOOD ELEMENTARY | | | | | |
| 9/8/2017 | Permit | 100 | 10:15 AM 10:25 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| LEON HEIGHTS ELEMENTARY | | | | | |
| 9/6/2017 | Permit | 100 | 10:20 AM 10:30 AM | <input type="checkbox"/> | 9/11/2017 |

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|--|---------|-------|--------------------------------|--------------------------|-------------------|
| BELTON | | | | | |
| <hr/> | | | | | |
| LEON HEIGHTS ELEMENTARY | | | 1501 NORTH MAIN 76513 | | |
| 9/6/2017 | Permit | 100 | 10:20 AM 10:30 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| <hr/> | | | | | |
| MILLER HEIGHTS ELEMENTARY | | | 1110 FAIRWAY DRIVE 76513 | | |
| 9/6/2017 | Permit | 100 | 8:40 AM 8:50 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| <hr/> | | | | | |
| PIRTLE ELMENTARY | | | 719 SOUTH PEA RIDGE ROAD 76513 | | |
| 9/8/2017 | Permit | 100 | 9:50 AM 10:00 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| <hr/> | | | | | |
| SOUTH BELTON MIDDLE SCHOOL | | | 805 SAGEBRUSH 76513 | | |
| 9/6/2017 | Permit | 98 | 9:25 AM 9:40 AM | <input type="checkbox"/> | 9/11/2017 |
| #31 SOAP MISSING @ HANDWASH SINK IN DISHWASH ROOM (DISPENSER LEAKS); NEEDS TO REPLACE. | | | | | |
| Adequate handwashing facilities; Accessible and properly supplied, used - 2 | | | | | |
| <hr/> | | | | | |
| SOUTHWEST ELEMENTARY | | | 702 SOUTH CONNELL 76513 | | |
| 9/6/2017 | Permit | 100 | 9:10 AM 9:20 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| <hr/> | | | | | |
| SPARTA ELEMENTARY | | | 1800 SPARTA ROAD 76513 | | |
| 9/8/2017 | Permit | 100 | 10:35 AM 10:45 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| <hr/> | | | | | |
| TAQUERIA LA PERLA | | | 604 WACO RD 76513 | | |
| 9/6/2017 | Routine | 100 | 10:05 AM 10:15 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| <hr/> | | | | | |
| TARVER ELEMENTARY SCHOOL | | | 7949 STONEHOLLOW DRIVE 76513 | | |
| 9/8/2017 | Permit | 100 | 9:35 AM 9:45 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Req. | Date Insp. Closed |
|---------------|------|-------|----------|----------------|-------------------|
|---------------|------|-------|----------|----------------|-------------------|

FORT HOOD

| | | | | | |
|-----------------------------------|--------|-----|----------------------|--------------------------|----------|
| AUDIE MURPHY MIDDLE SCHOOL | | | 53393 SUNDANCE 76544 | | |
| 9/6/2017 | Permit | 100 | 9:10 AM 9:30 AM | <input type="checkbox"/> | 9/7/2017 |
| - | | | | | |

| | | | | | |
|--------------------------|--------|-----|----------------------|--------------------------|----------|
| CLARKE ELEMENTARY | | | 51600 COMANCHE 76544 | | |
| 9/6/2017 | Permit | 100 | 9:45 AM 10:00 AM | <input type="checkbox"/> | 9/7/2017 |
| - | | | | | |

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Req. | Date Insp. Closed |
|---------------|------|-------|----------|----------------|-------------------|
|---------------|------|-------|----------|----------------|-------------------|

HARKER HEIGHTS

EASTERN HILLS MIDDLE SCHOOL

300 INDIAN TRAIL 76548

| | | | | | |
|----------|--------|-----|--------------------|--------------------------|-----------|
| 9/7/2017 | Permit | 100 | 9:10 AM 9:30 AM | <input type="checkbox"/> | 9/12/2017 |
|----------|--------|-----|--------------------|--------------------------|-----------|

HARKER HEIGHTS ELEMENTARY

726 SOUTH ANN 76548

| | | | | | |
|----------|--------|-----|--------------------|--------------------------|-----------|
| 9/7/2017 | Permit | 100 | 8:50 AM 9:05 AM | <input type="checkbox"/> | 9/12/2017 |
|----------|--------|-----|--------------------|--------------------------|-----------|

PAPA JOHNS - FM 2410

106 E. FM 2410 STE 3 76548

| | | | | | |
|----------|--------|----|--------------------|--------------------------|----------|
| 9/6/2017 | Permit | 98 | 1:50 PM 3:00 PM | <input type="checkbox"/> | 9/7/2017 |
|----------|--------|----|--------------------|--------------------------|----------|

#23: WHEN ENTERING STORE OBSERVED WATER LEAKING FROM SEVERAL TILES. WATER WAS NOT IN PREP AREA OR STORAGE AREA. BUILDING MAINTAINANCE CAME WHILE INSPECTING AND SHUT OFF WATER. NO PIZZA CAN BE MADE OR NO PREP CAN BE PERFORMED WHILE WATER IS OFF. FOUR PIZZAS WERE MADE AND COOKED WHILE INSPECTION WAS BEING DONE. PREP AND MAKING OF PIZZA CAN RESUME WHEN WATER IS RESTORED TO THE BUILDING.

Hot and Cold Water available; adequate pressure, safe - 2

SMART BEGINNINGS LEARNING CENTER

611 SOUTH ANN BLVD 76548

| | | | | | |
|----------|--------|-----|----------------------|--------------------------|-----------|
| 9/7/2017 | Permit | 100 | 10:05 AM 10:20 AM | <input type="checkbox"/> | 9/12/2017 |
|----------|--------|-----|----------------------|--------------------------|-----------|

WILL PURCHASE TEST STRIPS WITHIN THE WEEK.

SMOOTHIE KING

560 E. CTE 76548

| | | | | | |
|----------|--------|-----|--------------------|--------------------------|----------|
| 9/6/2017 | Permit | 100 | 3:00 PM 3:30 PM | <input type="checkbox"/> | 9/7/2017 |
|----------|--------|-----|--------------------|--------------------------|----------|

Bell County Public Health District

9/12/2017

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|--------------------|----------------------|
|---------------|------|-------|----------|--------------------|----------------------|

HOLLAND

HOLLAND HEAD START

| | | | | | |
|----------|--------|-----|----------------------|--------------------------|-----------|
| 9/8/2017 | Permit | 100 | 11:45 AM 12:00 PM | <input type="checkbox"/> | 9/11/2017 |
|----------|--------|-----|----------------------|--------------------------|-----------|

510 JOSEPHINE 76534

-

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

KILLEEN**BITE THE BAGEL/VILLAGE PIZZA**

2710 S CLEAR CREEK STE 101 76549

9/7/2017

Routine

100

10:25 AM
10:35 AM

9/11/2017

BONES CRACKED RIB BBQ

3401 WEST SS LOOP, STE 12 76549

9/7/2017

Permit

100

1:50 PM
2:15 PM

9/12/2017

BROOKHAVEN INTERMEDIATE

3221 HILLIARD 76543

9/6/2017

Permit

99

9:10 AM
9:35 AM

9/6/2017

#34: OBSERVED A COCKROACH IN THE EMPLOYEE BATHROOM. PEST CONTROL IS REQUIRED.

No Evidence of Insect contamination, rodent / other animals - 1

BURGER KING - CLEAR CREEK

2902 CLEAR CREEK 76549

9/7/2017

Routine

100

10:10 AM
10:20 AM

9/11/2017

BUSHS CHICKEN - CLEAR CREEK

3815 S CLEAR CREEK 76549

9/7/2017

Permit

98

9:35 AM
9:55 AM

9/12/2017

#31 NO PAPER TOWELS @ SINK BY OFFICE; COS.

Adequate handwashing facilities; Accessible and properly supplied, used - 2

CHAU'S CAFÉ

814 S. FT HOOD RD 76541

9/5/2017

Routine

100

2:40 PM
3:00 PM

9/6/2017

DOMINOS PIZZA - S FT HOOD

1606 S FORT HOOD 76542

9/5/2017

Routine

98

9:05 AM
9:25 AM

9/11/2017

#22 14 OUT OF 32 NEED HEALTH CARDS.

Food handler / no unauthorized persons / personnel - 2

EAST WARD ELEMENTARY

1608 EAST RANCIER 76541

9/7/2017

Permit

99

8:45 AM
9:00 AM

9/12/2017

#42: CLEAN FANS INSIDE THE WALK IN COOLER AS NECESSARY BECAUSE ITS DIRTY.

Non-Food Contact surfaces clean - 1

FAMILY DOLLAR #4821 - S FORT HOOD (1604)

1604 SOUTH FORT HOOD 76542

9/5/2017

Permit

100

8:50 AM
9:00 AM

9/11/2017

FAMILY DOLLAR #8046 - CLEAR CREEK

5401 DESERT WILLOW 76549

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

Establishment Type Score In / Out Follow up Date Insp.
Reqd. Closed

KILLEEN

FAMILY DOLLAR #8046 - CLEAR CREEK

5401 DESERT WILLOW 76549

9/7/2017 Routine 100 10:00 AM 9/11/2017
10:10 AM

-

GRABBA GREEN

2802 W SS LOOP STE 100 76542

9/7/2017 Permit 98 2:20 PM 9/12/2017
3:10 PM

#21: MUST OBTAIN CFM WITHIN 10 DAYS.

Person in charge present, demonstration of knowledge, and CFM - 2

HAY BRANCH ELEMENTARY

6101 WEST CLIFF 76542

9/6/2017 Permit 100 10:15 AM 9/6/2017
10:40 AM

-

ITALIAN CUISINE

5201 CLEAR CREEK, STE B 76549

9/7/2017 Permit 100 10:40 AM 9/11/2017
10:50 AM

GENERAL SANITATION PHENOMENAL.
REDUCE FREQ TO 3.

-

KOINONIA CHILDRENS ACADEMY

3701 W. SS LOOP 76549

9/5/2017 Permit 100 11:40 AM 9/11/2017

INSPECTION DUE IN MARCH 2017.

-

KOREAN KRAVINGS MFU

4905 SMOKY QUARTZ 76542

9/6/2017 Permit 100 2:45 PM 9/7/2017
3:00 PM

-

LITTLE CAESARS - W CTE

902 W CTE SUITE H 76542

9/7/2017 Routine 97 8:45 AM 9/12/2017
9:00 AM

#32 CANNOT USE CARDBOARD FOR SHELF LINERS, THEY ARE NOT
CLEANABLE. WIRE RACKS IN W/I COOLER HAVE BEEN CLEANED BUT ARE
RUSTED AND WILL REQUIRE REPLACING DUE TO THAT CONDITION.

#42 CLEAN TRAY RACKS AS NECESSARY. CLEAN LARGE FLOOR MIXER AS
NECESSARY.

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Non-Food Contact surfaces clean - 1

MCDONALDS - E RANCIER

109 EAST RANCIER 76541

9/7/2017 Permit 99 10:05 AM 9/12/2017
10:50 AM

#42: CLEAN THE INSIDE (WHITE PLASTIC) OF THE ICE MACHINE BECAUSE
ITS MOLDY. CLEAN THE ICE CREAM MACHINE BECAUSE IS DIRTY. CLEAN
THE FLOOR UNDER THE FRYER ACROSS FROM THE BUN TOASTER
BECAUSE ITS DIRTY. CLEAN THE BUN TOASTER. CLEAN "ALL" THE R/I
COOLER BECAUSE THERES A LOT OF FOOD PARTICLES AND ITS DIRTY.
"GENERAL CLEANING" OF ALL COOKING AREA BECAUSE ITS DIRTY.

Non-Food Contact surfaces clean - 1

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|--|--------|-------|----------------------|--------------------------|----------------------|
| KILLEEN | | | | | |
| PEEBLES ELEMENTARY | | | | | |
| 1800 NORTH WS YOUNG 76541 | | | | | |
| 9/7/2017 | Permit | 100 | 9:35 AM 9:55 AM | <input type="checkbox"/> | 9/12/2017 |
| - | | | | | |
| PIZZA HUT - CLEAR CREEK | | | | | |
| 3905 SOUTH CLEAR CREEK # 105 76549 | | | | | |
| 9/7/2017 | Permit | 99 | 9:25 AM 9:35 AM | <input type="checkbox"/> | 9/12/2017 |
| #45 REPAIR MINOR LEAK @ 3 COMP SINK FAUCET. Physical facilities installed, maintained, clean - 1 | | | | | |
| RANCIER MIDDLE SCHOOL | | | | | |
| 3301 HILLIARD DRIVE 76542 | | | | | |
| 9/6/2017 | Permit | 100 | 9:40 AM 9:55 AM | <input type="checkbox"/> | 9/6/2017 |
| - | | | | | |
| SCHLOTZSKYS - KILLEEN | | | | | |
| 902 WEST CTE, STE F 76542 | | | | | |
| 9/7/2017 | Permit | 100 | 9:00 AM 9:10 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| ST JOSEPH SCHOOL | | | | | |
| 2901 EAST RANCIER 76541 | | | | | |
| 9/7/2017 | Permit | 100 | 9:15 AM 9:30 AM | <input type="checkbox"/> | 9/12/2017 |
| - | | | | | |
| STAR MART #5 | | | | | |
| 3322 E. RANCIER 76543 | | | | | |
| 9/6/2017 | Permit | 94 | 1:45 PM 2:05 PM | <input type="checkbox"/> | 9/8/2017 |
| #10: COS SODA CHUTES INSIDE AND OUTSIDE ARE VERY STICKY AND REQUIRE TO BE CLEANED AS NECESSARY. #31: COS MISSING SOAP AND PAPER TOWELS IN BATHROOM. IT REQUIRES TO BE PROPERLY SUPPLIED AS NECESSARY. #42: REPEAT (3-21-17) CLEAN SODA SYRUP BOX CLOSET. CLEAN W/ COOLER FLOOR AS NEEDED. #42: WALK IN COOLER FANS REQUIRE TO BE CLEANED BECAUSE THEY ARE DIRTY. Non-Food Contact surfaces clean - 1 Food contact surfaces and returnables; cleaned and sanitized - 3 Adequate handwashing facilities; Accessible and properly supplied, used - 2 | | | | | |
| SUBWAY - N FORT HOOD | | | | | |
| 612 N FORT HOOD 76541 | | | | | |
| 9/5/2017 | Permit | 100 | 8:30 AM 8:45 AM | <input type="checkbox"/> | 9/11/2017 |
| - | | | | | |
| TOP DONUTS - RANCIER | | | | | |
| 2006 EAST RANCIER STE 100 76542 | | | | | |
| 9/6/2017 | Permit | 99 | 10:45 AM 11:00 AM | <input type="checkbox"/> | 9/6/2017 |
| #42: CLEAN THE WALL BY THE TABLE FOR MAKING THE DONUTS, ETC. IT REQUIRES TO BE CLEAN BECAUSE ITS DIRTY. Non-Food Contact surfaces clean - 1 | | | | | |

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

KILLEEN

WINGO

3301 EAST RANCIER SUITE 102C 76543

| | | | | | |
|----------|--------|----|---------|--------------------------|----------|
| 9/6/2017 | Permit | 99 | 2:15 PM | <input type="checkbox"/> | 9/7/2017 |
|----------|--------|----|---------|--------------------------|----------|

#42: REPEAT CLEAN BUILD-UP ON HANDLES OF REFRIGERATORS AS NECESSARY.

#42: OIL BUILD-UP AT VENTILATIONS THAT REQUIRES CLEANING AS NECESSARY. CLEAN R/I FREEZER (INSIDE), BECAUSE THERE IS A LOT OF FOOD PARTICLES. CLEAN THE INSIDE OF THE LOUBOY, BECAUSE THERE IS A LOT OF FOOD PARTICLES.

Non-Food Contact surfaces clean - 1

YUMMYS

2006 NORTH WS YOUNG STE 54 76543

| | | | | | |
|----------|--------|----|---------|--------------------------|----------|
| 9/5/2017 | Permit | 99 | 2:00 PM | <input type="checkbox"/> | 9/6/2017 |
|----------|--------|----|---------|--------------------------|----------|

#42: OIL BUILD-UP ON THE VENTILATIONS THAT REQUIRES TO BE CLEANED. ALL MICROWAVES REQUIRES TO BE CLEANED BECAUSE THEY ARE DIRTY. CLEAN THE FANS INSIDE THE REACH IN COOLER BECAUSE THEY ARE EXTREMELY MOLDY.

Non-Food Contact surfaces clean - 1

Bell County Public Health District

9/12/2017

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Req. | Date Insp. Closed |
|---------------|------|-------|----------|----------------|-------------------|
|---------------|------|-------|----------|----------------|-------------------|

NOLANVILLE

BABES

4100 EAST VMB STE 1 76559

| | | | | | |
|----------|--------|-----|--------------------|--------------------------|-----------|
| 9/7/2017 | Permit | 100 | 1:45 PM 2:15 PM | <input type="checkbox"/> | 9/11/2017 |
|----------|--------|-----|--------------------|--------------------------|-----------|

FLOOR REPLACEMENT STATUS: HAS REPLACED ALL SUB FLOORING, PAINTING WILL BE DONE BY NEXT INSPECTION.

CEFCO #45

100 SOUTH MAIN 76559

| | | | | | |
|----------|--------|----|----------------------|--------------------------|-----------|
| 9/5/2017 | Permit | 98 | 10:00 AM 10:10 AM | <input type="checkbox"/> | 9/11/2017 |
|----------|--------|----|----------------------|--------------------------|-----------|

#32 REPAIR SEAM @ CUSTOMER SELF SERVICE COUNTER; METAL BENT AND CANT ADEQUATELY CLEAN.
Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

NOLANVILLE ELEMENTARY

901 OLD NOLANVILLE RD 76559

| | | | | | |
|----------|--------|-----|--------------------|--------------------------|-----------|
| 9/5/2017 | Permit | 100 | 9:40 AM 9:50 AM | <input type="checkbox"/> | 9/11/2017 |
|----------|--------|-----|--------------------|--------------------------|-----------|

RICHARD CAVAZOS ELEMENTARY

1200 NORTH 10TH 76559

| | | | | | |
|----------|--------|-----|----------------------|--------------------------|-----------|
| 9/5/2017 | Permit | 100 | 10:15 AM 10:25 AM | <input type="checkbox"/> | 9/11/2017 |
|----------|--------|-----|----------------------|--------------------------|-----------|

SUBWAY - NOLANVILLE

100 SOUTH MAIN STREET 76559

| | | | | | |
|----------|---------|-----|---------------------|--------------------------|-----------|
| 9/5/2017 | Routine | 100 | 9:55 AM 10:00 AM | <input type="checkbox"/> | 9/11/2017 |
|----------|---------|-----|---------------------|--------------------------|-----------|

THE PIT STOP - NOLANVILLE

14595 FM 439 76559

| | | | | | |
|----------|--------|-----|--------------------|--------------------------|-----------|
| 9/5/2017 | Permit | 100 | 1:45 PM 2:00 PM | <input type="checkbox"/> | 9/11/2017 |
|----------|--------|-----|--------------------|--------------------------|-----------|

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Req. | Date Insp. Closed |
|---------------|------|-------|----------|----------------|-------------------|
|---------------|------|-------|----------|----------------|-------------------|

TEMPLE

3 WEST ALE HOUSE & GRILL

7373 HONEYSUCKLE STE 100 76502

9/7/2017 Routine 94 10:10 AM 9/12/2017

#9 FOOD IS REQUIRED TO BE STORED WITH RAW MEATS SEPERATED FROM RTE FOODS. FOOD MUST BE COVERED. 10:40 AM

#29 THERMOMETERS AND TEST STRIPS NEEDED; REPEAT.

#31 ABUNDANCE OF GNATS IN BAR AREA.

- No Evidence of Insect contamination, rodent / other animals - 1
- Food separated and & protected, prevented during food preparation - 3
- Thermometers provided, accurated, and calculated; chemical/thermal test - 2

CEFCO #24

605 NORTH 3RD 76501

9/5/2017 Permit 95 2:20 PM 9/12/2017

#34 OBSERVED DEAD MOUSE DECAYED UNDER SHELF. 2:40 PM

#42 DRAIN @ 3 COMP SINK NEEDS CLEANING; REPEAT.

#43 LIGHT SHIELDS REQUIRED FOR W/I COOLER; REPEAT.

#45 REPLACE CEILING TILES IN STORE ROOM.

#46 REPLACE SEAL ON WOMENS TOILET.

- No Evidence of Insect contamination, rodent / other animals - 1
- Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1
- Physical facilities installed, maintained, clean - 1
- Non-Food Contact surfaces clean - 1
- Adequate ventilation and lighting; designated areas used - 1

DAIRY QUEEN - N 7TH

15 NORTH 7TH 76501

9/5/2017 Permit 92 2:50 PM 9/25/2017

#9 MILDEW ON LIP OF ICE MACHINE; COS. 3:15 PM

#32 CLEAN W/I COOLER FLOOR AND KICKBOARD.

#42 REPAIR W/I COOLER FLOOR; REPEAT.

#45 REPAIR KICKBOARD W/I COOLER. CLEAN MICROWAVE. CLEAN SODA SPIGOTS.

#46 RESEAL WOMENS TOILET.

- Non-Food Contact surfaces clean - 1
- Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1
- Food and Non-food Contact surfaces cleanable, properly designed, and used - 2
- Physical facilities installed, maintained, clean - 1
- Food separated and & protected, prevented during food preparation - 3

ELKS LODGE #138

2613 AIRPORT RD 76504

9/5/2017 Permit 100 3:45 PM 9/11/2017

4:00 PM

FAMILY DOLLAR #8590 - S 1ST

1510 SOUTH 1ST 76504

9/5/2017 Permit 100 11:00 AM 9/11/2017

KEEP UP THE GREAT WORK. 11:25 AM

GOLDEN CORRAL - TEMPLE

5101 S GENERAL BRUCE DR 76502

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|--------------------|----------------------|
|---------------|------|-------|----------|--------------------|----------------------|

TEMPLE**GOLDEN CORRAL - TEMPLE**

5101 S GENERAL BRUCE DR 76502

9/5/2017

Permit

99

9:00 AM



9/11/2017

#45 MOLD/MILDEW IN DISHWASH AREA AND HANDWASH SINK; REPEAT.

10:00 AM

Physical facilities installed, maintained, clean - 1

HIGH POINT ELEMENTARY

1635 STARLIGHT DR 76502

9/8/2017

Permit

100

9:00 AM



9/11/2017

9:10 AM

-

JERSEY MIKES SUBS - TEMPLE

2425 W ADAMS STE 160 76504

9/7/2017

Routine

100

10:45 AM



9/11/2017

LOOKS GREAT. KEEP UP THE GREAT WORK.

10:55 AM

-

JODYS #2

1301 SOUTH 1ST 76504

9/5/2017

Permit

99

10:15 AM



9/11/2017

KEEP UP THE GOOD WORK. LONE STAR PEST CONTROL 1 X WEEK.

10:40 AM

#34 ROACH PRESENT BY MEAT SLICER.

No Evidence of Insect contamination, rodent / other animals - 1

LA RIVS

7410 W ADAMS STE 160 76502

9/7/2017

Permit

90

9:55 AM



9/12/2017

#9 ALL BOXES WITH FOOD MUST BE AT LEAST 6" OFF FLOOR.

10:10 AM

#29 THERMOMETERS NEED IN LOW BOY COOLERS.

#31 NO PAPER TOWELS @ HANDSINK BY DISHWASHER.

#41 ORIGINAL CONTAINER LABELING NEEDED BY DISH WASHER.

#42 REPLACE CAN OPENER BLADE.

#45 VENTS NEED CLEANING.

Non-Food Contact surfaces clean - 1

Original container labeling (Bulk Food) - 1

Adequate handwashing facilities; Accessible and properly supplied, used - 2

Thermometers provided, accurated, and calculated; chemical/thermal test - 2

Food separated and & protected, prevented during food preparation - 3

Physical facilities installed, maintained, clean - 1

McDONALDS - ADAMS

1601 W. ADAMS 76501

9/5/2017

Permit

97

3:20 PM



9/11/2017

#9 SODA SPIGOTS AND MACHINE REQUIRE CLEANING OF MOLD & MILDEW.
(SHOULD BE ITEM #10).

3:40 PM

Food separated and & protected, prevented during food preparation - 3

MOD PIZZA - TEMPLE

2102 SOUTH 31ST STE 160 76504

9/7/2017

Routine

100

2:30 PM



9/11/2017

LOOKS GREAT.

2:55 PM

-

NORTH BELTON MIDDLE SCHOOL

7907 PRAIRIE VIEW DR 76502

Bell County Public Health District

9/12/2017

Inspections Between (inclusive): 9/4/2017 and 9/8/2017

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

TEMPLE

NORTH BELTON MIDDLE SCHOOL

7907 PRAIRIE VIEW DR 76502

| | | | | | |
|----------|--------|-----|--------------------|--------------------------|-----------|
| 9/8/2017 | Permit | 100 | 9:25 AM 9:35 AM | <input type="checkbox"/> | 9/11/2017 |
|----------|--------|-----|--------------------|--------------------------|-----------|

-

OLD JODYS

1219 SOUTH 1ST 76504

| | | | | | |
|----------|--------|----|----------------------|--------------------------|-----------|
| 9/5/2017 | Permit | 96 | 10:40 AM 10:50 AM | <input type="checkbox"/> | 9/11/2017 |
|----------|--------|----|----------------------|--------------------------|-----------|

#9 SODA SPIGOTS AND MACHINE REQUIRED TO BE CLEAN AND FREE FROM BUILD UP.
#42 CLEAN UNDER AND AROUND COOLERS, FREEZERS, WORK AREA; REPEAT.

Food separated and & protected, prevented during food preparation - 3

Non-Food Contact surfaces clean - 1

PIT STOP BBQ

502 SOUTH 1ST 76501

| | | | | | |
|----------|--------|-----|----------------------|--------------------------|-----------|
| 9/5/2017 | Permit | 100 | 10:55 AM 11:05 AM | <input type="checkbox"/> | 9/11/2017 |
|----------|--------|-----|----------------------|--------------------------|-----------|

VERY GOOD. KEEP UP THE GOOD WORK.

-

SAIGON CAFÉ

220 SW HK DOGEN LOOP 76504

| | | | | | |
|----------|---------|----|--------------------|--------------------------|-----------|
| 9/7/2017 | Routine | 99 | 2:15 PM 2:30 PM | <input type="checkbox"/> | 9/11/2017 |
|----------|---------|----|--------------------|--------------------------|-----------|

VERY CLEAN. GREAT JOB.
#41 LABELING NEEDED ON BULK ITEMS.

Original container labeling (Bulk Food) - 1

SNOBELLY MFU

5918 AMBROSE CIRCLE 76502

| | | | | | |
|----------|--------|-----|----------------------|--------------------------|-----------|
| 9/8/2017 | Permit | 100 | 10:30 AM 10:45 AM | <input type="checkbox"/> | 9/12/2017 |
|----------|--------|-----|----------------------|--------------------------|-----------|

VERY CLEAN.

-

THE GOOD LIFE BAKERY CAFÉ

7348 W ADAMS STE 500 76502

| | | | | | |
|----------|---------|-----|--------------------|--------------------------|-----------|
| 9/7/2017 | Routine | 100 | 9:30 AM 9:50 AM | <input type="checkbox"/> | 9/11/2017 |
|----------|---------|-----|--------------------|--------------------------|-----------|

VERY CLEAN. KEEP UP THE GOOD WORK.

-