

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Req.	Date Insp. Closed
---------------	------	-------	----------	----------------	-------------------

BELTON**A MIKEYS QUIK STOP**

9301 N HIGHWAY 317 76513

1/8/2019 Permit

97

10:40 AM



1/8/2019

#22 3 OUT OF 4 NEED HEALTH CARDS.

#42 CLEAN FLOOR IN W/I COOLER.

Food handler / no unauthorized persons / personnel - 2

Non-Food Contact surfaces clean - 1

10:55 AM

BELLE OAKS HEAD START

800 SHADY LANE 76513

1/8/2019 Permit

100

11:15 AM



1/8/2019

11:30 AM

BRODYS STEAKHOUSE

2801 SOUTH IH 35 76513

1/9/2019 Complaint Followup

100

3:35 PM



1/10/2019

TOILET SEAT WAS CRACKED; SEAT HAS BEEN REPLACED. RESTROOM HAS PAPER TOWELS AND SOAP; VERY CLEAN.

3:45 PM

COFFEE CUP CAFÉ

7587 W US 190 76513

1/10/2019 Permit

100

10:30 AM



1/10/2019

VERY CLEAN.

11:15 AM

EL PAISA BELTON

1617 TAYLORS VALLEY RD 76513

1/9/2019 Permit

100

9:15 AM



1/9/2019

9:25 AM

EXPO QUIK STOP

308 W LOOP 121 76513

1/9/2019 Permit

98

3:55 PM



1/10/2019

#29 TEST STRIPS NEEDED.

Thermometers provided, accurated, and calculated; chemical/thermal test - 2

4:15 PM

L & R MEAT MARKET

601 E CENTRAL STE B 76513

1/8/2019 Permit

99

4:00 PM



1/9/2019

#45 PAINT AND/OR SEAL UNFINISHED WOOD.

Physical facilities installed, maintained, clean - 1

4:30 PM

SALGADOS

2210 N MAIN 76513

1/10/2019 Permit

100

9:50 AM



1/10/2019

VERY CLEAN.

10:15 AM

SCHLOTZSKYS - BELTON

1012 E. 2ND 76513

1/10/2019 Permit

95

3:30 PM



1/11/2019

#23 NO HOT WATER AT BACK HANDSINK.

#32 REPAIR SLICER; CANNOT USE DUCT TAPE.

#42 CLEAN VENT HOOD.

Non-Food Contact surfaces clean - 1

4:00 PM

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	--------------------	----------------------

BELTON

SCHLOTZSKYS - BELTON			1012 E. 2ND 76513		
-----------------------------	--	--	-------------------	--	--

1/10/2019	Permit	95	3:30 PM	<input type="checkbox"/>	1/11/2019
------------------	--------	----	---------	--------------------------	-----------

#23 NO HOT WATER AT BACK HANDSINK.

#32 REPAIR SLICER; CANNOT USE DUCT TAPE.

#42 CLEAN VENT HOOD.

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Hot and Cold Water available; adequate pressure, safe - 2

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	--------------------	----------------------

FORT HOOD**AUDIE MURPHY MIDDLE SCHOOL**

53393 SUNDANCE 76544

1/9/2019	Routine	100	9:45 AM 10:00 AM	<input type="checkbox"/>	1/10/2019
----------	---------	-----	---------------------	--------------------------	-----------

-

CLARKE ELEMENTARY

51600 COMANCHE 76544

1/11/2019	Routine	100	8:50 AM 9:15 AM	<input type="checkbox"/>	1/14/2019
-----------	---------	-----	--------------------	--------------------------	-----------

-

CLEAR CREEK ELEMENTARY

4800 WASHINGTON 76544

1/10/2019	Routine	100	9:35 AM 10:00 AM	<input type="checkbox"/>	1/11/2019
-----------	---------	-----	---------------------	--------------------------	-----------

-

KILLEEN ISD EARLY COLLEGE HIGH SCHOOL

51000 TANK DESTROYER BLVD. 76549

1/11/2019	Routine	100	9:15 AM 9:25 AM	<input type="checkbox"/>	1/14/2019
-----------	---------	-----	--------------------	--------------------------	-----------

-

MEADOWS ELEMENTARY

423 27TH ST & TANK DESTROYER 76544

1/9/2019	Routine	100	8:40 AM 9:00 AM	<input type="checkbox"/>	1/10/2019
----------	---------	-----	--------------------	--------------------------	-----------

-

MONTAGUE VILLAGE ELEMENTARY

84001 CLEMENT DRIVE 76544

1/10/2019	Routine	100	9:15 AM 9:30 AM	<input type="checkbox"/>	1/11/2019
-----------	---------	-----	--------------------	--------------------------	-----------

-

OVETA CULP HOBBY ELEMENTARY

53210 LOST MOCCASIN ROAD 76544

1/9/2019	Routine	100	9:15 AM 9:35 AM	<input type="checkbox"/>	1/10/2019
----------	---------	-----	--------------------	--------------------------	-----------

-

VENABLE VILLAGE

60160 VENABLE ROAD 76544

1/10/2019	Routine	100	8:45 AM 9:00 AM	<input type="checkbox"/>	1/11/2019
-----------	---------	-----	--------------------	--------------------------	-----------

-

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	--------------------	----------------------

HARKER HEIGHTS

CAJUN BOILING CRAB			572 E CTE 76548		
1/9/2019	Permit	100	1:50 PM 2:30 PM	<input type="checkbox"/>	1/10/2019

CINEMARK THEATERS			201 EAST CTE 76548		
1/9/2019	Routine	100	2:30 PM 3:00 PM	<input type="checkbox"/>	1/10/2019

FREDDYS FROZEN CUSTARD & STEAKBURGERS			490 E. FM 2410 76548		
1/9/2019	Routine	99	3:30 PM 3:55 PM	<input type="checkbox"/>	1/10/2019
#42: FAN COVERS IN COOLER MUST BE CLEAN AND FREE OF DUST AND GRIME.					
Non-Food Contact surfaces clean - 1					

OPA'S SCHNITZEL HUT			1608 E. FM 2410 76548		
1/10/2019	Routine	98	1:50 PM 2:15 PM	<input type="checkbox"/>	1/11/2019
#21: REPEAT: MUST OBTAIN CFM CERTIFICATE.					
Person in charge present, demonstration of knowledge, and CFM - 2					

PAPA JOHNS - FM 2410			106 E. FM 2410 STE 3 76548		
1/9/2019	Routine	100	3:05 PM 3:30 PM	<input type="checkbox"/>	1/10/2019

POPEYES CHICKEN - HH			120 E. CTE 76548		
1/10/2019	Routine	100	10:15 AM 10:45 AM	<input type="checkbox"/>	1/11/2019

THE SHACK			1612 E FM 2410 76548		
1/10/2019	Permit	100	2:20 PM 3:10 PM	<input type="checkbox"/>	1/11/2019

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Req.	Date Insp. Closed
---------------	------	-------	----------	----------------	-------------------

HEIDENHEIMER

BEL HAI GROCERY

5715 EAST HWY 190 76533

1/10/2019 Permit

96

9:00 AM



1/10/2019

9:15 AM

#20 BROKEN SPRAY HEAD AT BACK DOOR.

#42 CLEAN INSIDE PIZZA COOLER.

Non-Food Contact surfaces clean - 1

Approved Sewage/Wastewater Disposal System, proper disposal - 3

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Req.	Date Insp. Closed
KILLEEN					
BIG HOSS BBQ					
1/7/2019	Permit	100	1:55 PM 2:10 PM	<input type="checkbox"/>	1/8/2019
426 SOUKUP LANE 76542					
BIG HOSS FOOD EXPRESS MFU					
1/7/2019	Routine	100	2:15 PM 2:25 PM	<input type="checkbox"/>	1/8/2019
426 SOUKUP LANE 76542					
BROOKHAVEN INTERMEDIATE					
1/9/2019	Routine	99	9:35 AM 9:45 AM	<input type="checkbox"/>	1/9/2019
3221 HILLIARD 76543					
#42: CLEAN THE AIR VENT BECAUSE ITS DIRTY (WALK IN COOLER). Non-Food Contact surfaces clean - 1					
CANDY CORNER - KILLEEN MALL					
1/10/2019	Permit	100	1:45 PM 2:00 PM	<input type="checkbox"/>	1/11/2019
2100 S WS YOUNG SUITE 1466 76543					
DOMINOS PIZZA - S FT HOOD					
1/9/2019	Permit	97	2:45 PM 3:10 PM	<input type="checkbox"/>	1/10/2019
1606 S FORT HOOD 76542					
#22: 9 OUT OF 37 DOESN'T HAVE A VALID FWC. 9 EMPLOYEES ARE REQUIRED TO OBTAIN THEIR FWC BY 1-22-19. #46: NO HAND SOAP MENS BATHROOM. Food handler / no unauthorized persons / personnel - 2 Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1					
EL TACO JALISCO #3					
1/7/2019	Routine	93	9:25 AM 10:00 AM	<input type="checkbox"/>	1/8/2019
516 W RANCIER 76543					
#7: COS : OBSERVED 5 ORANGES THAT ARE EXTREMELY MOLDY. IT REQUIRES TO BE DISCARDED. THE EMPLOYEE COMPLIED AND DISCARDED THE 5 ORANGES. #32: REPEAT 10-16-18 : BULK STORAGE LIDS CRACKED/BROKEN. #42: CLEAN SILVER (METAL RACKS) BECAUSE OF FOOD PARTICLES. CLEAN THE FANS INSIDE THE WALK IN COOLER BECAUSE ITS DIRTY. #45: REPAIR OR REPLACE THE CEILING (MISSING) BY THE MENS BATHROOM. REPAIR OR REPLACE THE BROKEN BATHROOM. Physical facilities installed, maintained, clean - 1 Non-Food Contact surfaces clean - 1 Food and Non-food Contact surfaces cleanable, properly designed, and used - 2 Food and ice obtained from approved source; good condition, safe - 3					
FATHER & SONS SOUL FOOD					
1310 W STAN SCHLUETER STE A100 76549					

KILLEEN

FATHER & SONS SOUL FOOD 1310 W STAN SCHLUETER STE A100 76549

1/10/2019 Permit 91 2:45 PM 3:40 PM 1/11/2019

#9: **COS:** INSPECTOR OBSERVED SHREDDED CHEESE WITHOUT ANY PROPER LID OR COVERAGE AND A CONTAINER OF GARLIC WITHOUT A LID.
 #22: 5 OUT OF 5 DOESN'T HAVE A VALID FWC.
 #31: NO PAPER TOWEL AT THE HANDSINK.
 #38 **COS:** INSPECTOR OBSERVED A BUCKET OF CATFISH AND SHRIMP THAT WERE IMPROPERLY THAWED. INSPECTOR EDUCATED THE EMPLOYEE ON HOW TO PROPERLY THAW.
 #42: **COS:** CLEAN THE MICROWAVE AND THE TABLES BECAUSE OF FOOD PARTICLES. CLEAN ALL OF THE CONTAINERS (WHITE) INSIDE THE WALK IN COOLER BECAUSE ITS DIRTY.
 #42: CLEAN THE SIDES OF THE FRYER AND UNDER THE FRYER BECAUSE OF OIL RESIDUE. CLEAN THE FLOOR (INSIDE THE WALK IN COOLER) BECAUSE OF FOOD PARTICLES. CLEAN THE (GRAY) METAL STAND BECAUSE ITS FILLED WITH FLOUR AND ITS DIRTY.

- Non-Food Contact surfaces clean - 1
- Food handler / no unauthorized persons / personnel - 2
- Adequate handwashing facilities; Accessible and properly supplied, used - 2
- Approved thawing method - 1
- Food separated and & protected, prevented during food preparation - 3

FIREHOUSE SUBS 1000 LOWES BLVD STE 400 76543

1/9/2019 Permit 99 3:20 PM 3:40 PM 1/10/2019

#42: GENERAL CLEANING UNDER THE METAL RACKS BECAUSE OF FOOD PARTICLES, PREP AREA. CLEAN AIR VENT BECAUSE ITS DIRTY. CLEAN THE FLOOR BECAUSE ITS DIRTY (WALK IN COOLER).

- Non-Food Contact surfaces clean - 1

GLORY ROAD 519 WEST VMB 76541

1/7/2019 Routine 100 8:35 AM 8:40 AM

-

GRACE CHRISTIAN ACTIVITIES CENTER 1401-2 E ELMS 76542

1/10/2019 Permit 100 2:10 PM 2:35 PM 1/11/2019

-

HAYNES ELEMENTARY 3309 W. CANDIAN RIVER LOOP 76549

1/10/2019 Routine 99 9:40 AM 10:00 AM 1/11/2019

#42: CLEAN THE GREEN (METAL RACK) INSIDE THE WALK IN COOLER BECAUSE ITS MOLDY. CLEAN THE AIR VENT BECAUSE ITS DIRTY (W/I COOLER).

- Non-Food Contact surfaces clean - 1

INTERNATIONAL BUFFET 605 N GRAY 76541

1/9/2019 Permit 100 11:45 AM 11:55 AM 1/9/2019

-

KILLEEN HIGH SCHOOL 500 NORTH 38TH 76543

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
KILLEEN					
KILLEEN HIGH SCHOOL					
1/11/2019	Routine	100	9:45 AM 10:10 AM	<input type="checkbox"/>	1/14/2019
-					
MCALISTERS DELI - KILLEEN					
1/9/2019	Permit	100	3:45 PM 4:20 PM	<input type="checkbox"/>	1/10/2019
-					
MCDONALDS - CLEAR CREEK					
1/9/2019	Complaint Followup	100	1:50 PM 2:15 PM	<input type="checkbox"/>	1/10/2019
FRIED CHICKEN IS PRECOOKED AT PLANT MUSHROOMS ARE PRECOOKED/HARD FREEZE. FRIED CHICKEN IS PRECOOKED AT PLANT TO SET BATTER. DEEP FRIED TO HOLD HOT @ STORE; ASSEMBLED WHEN ORDERED. MUSHROOMS ARE FROZEN/SAUTEED/HELD HOT. CHICKEN IS HARD FREEZE. MUSHROOMS ARE PRECOOKED/HARD FREEZE.					
-					
MCDONALDS - E RANCIER					
1/7/2019	Routine	97	10:05 AM 10:40 AM	<input type="checkbox"/>	1/8/2019
#42: REPEAT 9-12-18: CLEAN THE FLOOR BEHIND AND UNDER THE FRYER BECAUSE OF OIL RESIDUE. CLEAN THE VENTHOOD (FRYER AREA) BECAUSE OF OIL RESIDUE.					
#42: THAW THE ICE ALL OVER THE WALK IN FREEZER.					
#45: THE COLA TANK (3RD FLOOR) REQUIRES TO BE REPAIRED OR REPLACED. ITS LEAKING.					
#46: CLEAN THE MALE BATHROOM (FECES EVERYWHERE) BECAUSE ITS VERY DIRTY. NO SOAP MALE BATHROOM (RIGHT SIDE).					
Physical facilities installed, maintained, clean - 1					
Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1					
Non-Food Contact surfaces clean - 1					
MISSION SOUP KITCHEN					
1/7/2019	Permit	100	10:50 AM 10:55 AM	<input type="checkbox"/>	1/8/2019
-					
PEEBLES ELEMENTARY					
1/10/2019	Routine	99	8:45 AM 8:55 AM	<input type="checkbox"/>	1/11/2019
#42: CLEAN THE AIR VENT BECAUSE ITS DIRTY.					
Non-Food Contact surfaces clean - 1					
RANCIER FOOD MART					
1/7/2019	Routine	99	9:15 AM 9:20 AM	<input type="checkbox"/>	1/8/2019
#46: NO PAPER TOWEL AND NO SOAP AT BATHROOM.					
Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1					
RANCIER MIDDLE SCHOOL					
1/9/2019	Routine	100	9:55 AM 10:10 AM	<input type="checkbox"/>	1/9/2019

Establishment	Type	Score	In / Out	Follow up Req.	Date Insp. Closed
---------------	------	-------	----------	----------------	-------------------

KILLEEN

RANCIER MIDDLE SCHOOL

3301 HILLIARD DRIVE 76542

1/9/2019	Routine	100	9:55 AM 10:10 AM	<input type="checkbox"/>	1/9/2019
----------	---------	-----	---------------------	--------------------------	----------

ROCK 'N' ROLL ICE CREAM PARLOR

4524 S WS YOUNG STE 105 76542

1/7/2019	Permit	100	3:30 PM 3:40 PM	<input type="checkbox"/>	1/8/2019
----------	--------	-----	--------------------	--------------------------	----------

VERY CLEAN

ROY J SMITH MIDDLE SCHOOL

6000 BUSHY CREEK 76549

1/10/2019	Routine	100	9:20 AM 9:35 AM	<input type="checkbox"/>	1/11/2019
-----------	---------	-----	--------------------	--------------------------	-----------

SCHLOTZSKYS - KILLEEN

902 WEST CTE, STE F 76542

1/9/2019	Permit	98	2:15 PM 2:35 PM	<input type="checkbox"/>	1/10/2019
----------	--------	----	--------------------	--------------------------	-----------

#42: **REPEAT 9-17-18:** BOTH VENTILATIONS ARE REQUIRED TO BE CLEANED BECAUSE ITS VERY DIRTY AND OIL BUILD UP. CLEAN THE WALL INSIDE THE WALK IN COOLER (SAUCE ALL OVER THE WALL) THE MEAT AREA (RIGHT SIDE). CLEAN THE REACH IN FREEZER BECAUSE OF FOOD PARTICLES AND ITS DIRTY.

#42: CLEAN THE AIR VENT ON BOTH (W/M) BATHROOM.

#45: 2 MISSING LIGHT SHIELDS LOCATED AT 3 COMPARTMENT SINK AND THE MOP AREA.

NOTE: #22 HIRED NEW EMPLOYEES.

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

SHIVERS LUNCH BOX MFU

401 FAY DRIVE 76549

1/7/2019	Violations Followup	96	3:00 PM 3:15 PM	<input type="checkbox"/>	1/9/2019
----------	---------------------	----	--------------------	--------------------------	----------

FOLLOW-UP REQUIRED

#23 & #45: **REPEAT 12-28-18:** THERES NO HOT WATER AVAILABLE IN THE MFU. INSPECTOR OBSERVED BROKEN WATER LINE AND A BUSTED PIPE THAT'S REQUIRED TO BE REPAIRED.

#42: CLEAN THE WALLS, VENTHOOD, AND FRYER BECAUSE OF THE OIL RESIDUE AND ITS VERY DIRTY.

#45: REPAIR OR REPLACE THE DRAINAGE ISSUE. "ALL" OF THE SINK IS NOT PROPERLY DRAINING.

Physical facilities installed, maintained, clean - 1

Hot and Cold Water available; adequate pressure, safe - 2

Non-Food Contact surfaces clean - 1

1/9/2019	Violations Followup	100	8:25 AM 8:30 AM	<input type="checkbox"/>	1/9/2019
----------	---------------------	-----	--------------------	--------------------------	----------

ALL ISSUES RESOLVED

SUBWAY #10455 - N FORT HOOD

612 N FORT HOOD 76541

1/7/2019	Routine	99	8:45 AM 9:10 AM	<input type="checkbox"/>	1/8/2019
----------	---------	----	--------------------	--------------------------	----------

#42: CLEAN ALL THE METAL RACKS BECAUSE ITS VERY DIRTY. CLEAN THE VENTHOOD BECAUSE ITS DIRTY.

Non-Food Contact surfaces clean - 1

Bell County Public Health District

1/15/2019

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Req.	Date Insp. Closed
---------------	------	-------	----------	----------------	-------------------

KILLEEN

WALMART NEIGHBORHOOD MARKET - SS LOOP

3801 E SS LOOP 76542

1/10/2019

Permit

100

10:15 AM
11:00 AM

1/11/2019

WEST WARD ELEMENTARY

709 WEST DEAN 76541

1/9/2019

Routine

98

8:50 AM
9:10 AM

1/9/2019

#42: CLEAN THE TUBING CONNECTING TO THE AIR VENT BECAUSE ITS MOLDY. (WALK IN COOLER LOCATION). CLEAN THE AIR VENT INSIDE THE WALK IN COOLER.

#45: REPAIR OR REPLACE THE CEILING (STORAGE AREA - DETERGENT AREA).

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Req.	Date Insp. Closed
---------------	------	-------	----------	----------------	-------------------

LITTLE RIVER ACADEMY

EL SARAPE MEXICAN RESTAURANT

104 SOUTH HWY 95 76554

1/10/2019	Routine	100	9:20 AM 9:30 AM	<input type="checkbox"/>	1/10/2019
-----------	---------	-----	--------------------	--------------------------	-----------

SUBWAY #59575 - LRA

405 NORTH HWY 95 76554

1/10/2019	Permit	95	9:30 AM 9:55 AM	<input type="checkbox"/>	1/10/2019
-----------	--------	----	--------------------	--------------------------	-----------

- #21 PROOF OF CFM NEEDED TO OBTAIN PERMIT.
- #29 THERMOMETERS MUST BE ACCURATE. HAVE PLACED A DIAT TYPE IN SUBSTITUTE; READING 24 ACTUAL TEMP IS 40. ACCURACY MUST BE WITHIN +/- 3. RECOMMEND BULK TYPE (RED LIQUID). THIS IS A REPEAT VIOLATION.
- #45 LEAK AT 3 COMP SINK; COLD WATER.

Person in charge present, demonstration of knowledge, and CFM - 2

Physical facilities installed, maintained, clean - 1

Thermometers provided, accurated, and calculated; chemical/thermal test - 2

Bell County Public Health District

1/15/2019

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Req.	Date Insp. Closed
---------------	------	-------	----------	----------------	-------------------

NOLANVILLE

NOLANVILLE ELEMENTARY			901 OLD NOLANVILLE RD 76559		
1/9/2019	Routine	100	9:45 AM 9:55 AM	<input type="checkbox"/>	1/9/2019

RICHARD CAVAZOS ELEMENTARY			1200 NORTH 10TH 76559		
1/9/2019	Routine	100	10:00 AM 10:20 AM	<input type="checkbox"/>	1/9/2019

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
TEMPLE					
3 WEST ALE HOUSE & GRILL					
7373 HONEYSUCKLE STE 100					76502
1/10/2019	Permit	98	10:50 AM	<input type="checkbox"/>	1/10/2019
#34 GNATS IN DISHWASH AREA; REPEAT FROM LAST INSPECTION.			11:00 AM		
#42 CLEAN BEHIND HOLD AREAS.					
Non-Food Contact surfaces clean - 1					
No Evidence of Insect contamination, rodent / other animals - 1					
7 - ELEVEN #22387					
1216 W AVENUE H					76501
1/10/2019	Permit	100	2:25 PM	<input type="checkbox"/>	1/11/2019
-			2:35 PM		
ADAM GROCERY STORE					
1601 EAST ADAMS					76501
1/10/2019	Permit	100	8:50 AM	<input type="checkbox"/>	1/10/2019
-			9:00 AM		
BOS BARN DANCEHALL & CLUB					
4984 FM 93 W					76502
1/9/2019	Permit	100	2:45 PM	<input type="checkbox"/>	1/10/2019
LOOKS GOOD.			3:10 PM		
CARMENS PLACE					
6201 STATE HWY 317					76502
1/9/2019	Routine	100	2:05 PM	<input type="checkbox"/>	1/10/2019
LOOKS GOOD.			2:30 PM		
CENTRAL TEXAS CHILDRENS CENTER					
2000 MARLANDWOOD					76502
1/11/2019	Permit	100	9:10 AM	<input type="checkbox"/>	1/15/2019
OVERALL DUSTING OF CEILING AND LEDGES.			10:20 AM		
NEEDS CERTIFIED FOOD MANAGER.					
QUALITY CHECK ON EQUIPMENT AND PLAYGROUND.					
EXTREME CHEER & TUMBLE					
20 OLD WACO RD					76502
1/10/2019	Permit	100	3:40 PM	<input type="checkbox"/>	1/11/2019
-			3:50 PM		
IMMANUEL BAPTIST DAYCARE					
1402 WEST AVENUE A					76504
1/10/2019	Permit	100	3:00 PM	<input type="checkbox"/>	1/11/2019
-			3:20 PM		
JASONS DELI - TEMPLE					
3036 SOUTH 31ST					76502

Bell County Public Health District

1/15/2019

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment Type Score In / Out Follow up Req'd. Date Insp. Closed

TEMPLE

JASONS DELI - TEMPLE

3036 SOUTH 31ST 76502

1/9/2019 Complaint Followup 100 10:00 AM 1/9/2019

FRUIT DELIVERED DAILY AND PREPPED FRESH. TEMPS OF PRODUCT AND COOLERS ARE WITHIN REGULATION. TEMP OF W/I COOLER WAS @ 38. TEMP OF DISPLAY CASE WHERE FRUIT PLATE IS LOCATED WAS @ 33. EMPLOYEES WEAR GLOVES AND PERFORM HANDWASHING AS REQUIRED. SALMON COMES FROM W/I FREEZER. TEMP WAS @ BELOW 0. THEN THAWED IN MICROWAVE FOR ABOUT 45 SECONDS BRINGING IT TO TEMP THEN DIRECTLY SERVED ON BUN TO PLATE TO CUSTOMER. NO OBVIOUS SIGNS OF TIME OR TEMP VIOLATIONS OR VIOLATIONS OF ANY SORT THAT WOULD CONTRIBUTE TO A CONTAMINATION.

10:25 AM

LA RIVS

7410 W ADAMS STE 160 76502

1/10/2019 Routine 100 10:40 AM 1/10/2019

LOOKS GOOD.

11:00 AM

QUICK SHOP N GO

4220 WEST ADAMS 76504

1/10/2019 Permit 100 9:10 AM 1/10/2019

LOOKS GREAT.

9:30 AM

QUICK STOP

4503 SOUTH 31ST 76502

1/10/2019 Permit 99 1:45 PM 1/11/2019

#42 CLEAN UNDER RACKS IN W/I COOLER; REPEAT.
Non-Food Contact surfaces clean - 1

1:55 PM

SAMS CLUB #6336 - TEMPLE

1414 MARLANDWOOD 76502

1/11/2019 Permit 100 10:20 AM 1/14/2019

10:30 AM

SCHLOTZSKYS - TEMPLE

2668 SOUTH 31ST 76504

1/9/2019 Permit 92 9:10 AM 1/9/2019

#9 BAKERY RACKS HAVE BUILDUP; THIS IS IN DIRECT CONTACT WITH BREAD.

#10 ICE MACHINE AND SODA SPIGOTS HAVE BUILD UP.

#42 RACKS HAVE BUILD UP; CLEAN.

#45 GENERAL FACILITY SANITATION REQUIRES IMPROVEMENT.

Food separated and & protected, prevented during food preparation - 3

Food contact surfaces and returnables; cleaned and sanitized - 3

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

10:00 AM

1/10/2019 Violations Followup 100 1/10/2019

PICS RECEIVED VIA EMAIL ON 1/9/19. ICE MACHINE AND SODA SPIGOTS HAVE BEEN CLEANED. SOME OF THE GENERAL SANITATION HAS BEEN APPROVED ON; AWAITING FURTHER PICS; DEADLINE 1/16/19.

SCOTT & WHITE - MAIN HOSPITAL

2401 SOUTH 31ST 76508

Bell County Public Health District

1/15/2019

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment Type Score In / Out Follow up Date Insp.
Reqd. Closed

TEMPLE

SCOTT & WHITE - MAIN HOSPITAL

2401 SOUTH 31ST 76508

1/9/2019

Permit

100

10:30 AM
11:15 AM



1/9/2019

-

STRIPES #40545H - W ADAMS

5511 W ADAMS 76502

1/10/2019

Permit

99

9:30 AM
10:10 AM



1/10/2019

#42 CLEAN VENTS BUILD UP IN SODA W/I COOLER.
Non-Food Contact surfaces clean - 1

SUBWAY - S 31ST

2906 SOUTH 31ST 76502

1/9/2019

Routine

100

11:20 AM
11:35 AM



1/9/2019

-

TEMPLE FOOD MART

1304 SOUTH 31ST 76504

1/9/2019

Permit

99

9:00 AM
9:05 AM



1/9/2019

#42 CLEAN VENTS AND CEILING TILES OF BUILD UP; REPEAT FOR LAST
INSPECTION (JULY 2018).
REMODEL SCHEDULED FOR AROUND MARCH 2019.
Non-Food Contact surfaces clean - 1

THE GOOD LIFE BAKERY CAFÉ

7348 W ADAMS STE 500 76502

1/10/2019

Permit

100

10:10 AM
10:40 AM



1/10/2019

-

THE PIG & PICKLE FOOD TRUCK MFU

11429 FALCON DR 76502

1/10/2019

Permit

100

11:05 AM
11:30 AM



1/10/2019

LOOKS GREAT.

-

WALGREENS - TEMPLE

3614 SOUTH 31ST 76502

1/11/2019

Permit

100

8:55 AM
9:05 AM



1/14/2019

LOOKS GREAT.

-

Bell County Public Health District

1/15/2019

Inspections Between (inclusive): 1/7/2019 and 1/11/2019

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TROY

BAR STRUCK

315 N. CENTRAL 76579

1/10/2019	Routine	100	2:10 PM 2:15 PM	<input type="checkbox"/>	1/11/2019
-----------	---------	-----	--------------------	--------------------------	-----------

-

JALISCOS TROY

213 NORTH CENTRAL STE 100 76579

1/10/2019	Routine	100	2:00 PM 2:10 PM	<input type="checkbox"/>	1/11/2019
-----------	---------	-----	--------------------	--------------------------	-----------

GENERAL SANITATION GOOD.

-

MILANOS PIZZA

213 N CENTRAL STE 200 76579

1/10/2019	Permit	97	1:40 PM 2:00 PM	<input type="checkbox"/>	1/11/2019
-----------	--------	----	--------------------	--------------------------	-----------

#21 COMPLETED CFM COURSE HAS BEEN WRITTEN UP SINCE OPENING JAN 2018. MUST SHOW PROOF TO OBTAIN NEW PERMIT.
#43 REPAIR BROKEN BALLAST.

Person in charge present, demonstration of knowledge, and CFM - 2

Adequate ventilation and lighting; designated areas used - 1